TWENTY25









PRODUCT RANGE






PRECONFIGURED PRODUCTS





XTA | 2.0 Series



XTA | 4.0 Series




Xero Linear Lighting Systems introduces the Xero Technology Advanced (XTA)series.


XTA brings together the best available technology in any linear system. This includes -lumiSEAL' a complete light leak free system that incorporates -conSEAL' a patented end plate system with hidden gaskets in all IP versions and -speed-connect' a fast easy to assemble tool-less joining system that minimises time and additional labour. The technologically advanced XTA series also includes 'AXIS' a unique gear tray system that is completely up-gradable and removable that allows LED components to be easily accessed for end of Ite replacement or maintenance. The XTA series uses Xero's exclusive boards and drivers 'Xeramix - one that has unmatched colour quality throughout life includes combined HE/ HO board with to L90 B10 I14,000k hours @ 50°C. UL/CE/AUS/NZS Standards approved Universal I20-277v nput. site selectable drive current for variable output on-the-fly. Partner this with the high end details such as aser etched CNC machined end plates. micro prism diffuser with UCR79 and high LOR white optic All this and an industry eading 7 Year Warranty unsurpassed by any linear ighting company



XTA | 2 5 Loop Series




hyperl@p series



Xero Linear Lighting Systems introduces the Xero Technology Advanced (XTA)series.

XTA brings together the best available technology in any linear system. This includes -lumiSEAL' a complete light leak free system that incorporates -conSEAL' a patented end plate system with hidden gaskets in all IP versions and -speed-connect' a fast easy to assemble tool-less joining system that minimises time and additional labour. The technologically advanced XTA series also includes 'AXIS' a unique gear tray system that is completely up-gradable and removable that allows LED components to be easily accessed for end of life replacement or maintenance. The XTA series uses Xero's exclusive boards and drivers - 'Xeramix - one- that has unmatched colour quality throughout life includes combined HE/ HO board with to L90 B10 I14,000k hours @ 50°C. UL/CE/AUS/NZS Standards approved Universal I20-277v input. site selectable drive current for variable output on-the-fly! Partner this with the high end details such as laser etched CNC machined end plates. micro prism diffuser with UGR79 and high LOR white optic louvres and dot free





XTI | 3.0 SERIES

XTI 4.0 SERIES



Warranties





Xero Linear Lighting Systems extends an industry leading 7 year warranty using Proformax light engines to the original purchaser for the XTA and XTI series of profiles. For more information on warranties please visit xerolighting/warranty L80 B70 82,000K hours @35°C. Proformax boards are CRI 90 as standard and have the highest efficiency currently on the market. The Proformax boards also have the lowest sulfurisation deteriorisation XTI brings together the best available technology for any linear lighting system specifically designed for the infrastructure segment.

UL/ CE/ AUS/NZS standards approved Universal 120-277v input. site selectable drive current for variable output •on-the-fly! Partner this with the high end details such as no visible face fixings, white optic louvres and dot free diffusion options and excellent thermal tolerance. All systems can be supplied with Polycarbonate that allows

and vandal proof fasteners.

